

NewWaySERVICE.com

API

(Application Programming Interface)

Copyright © 1996-2019

OroLogic Inc.

<http://www.orologic.com>

<http://www.NewWaySERVICE.com>

Revision 5.154 (February 26, 2019)

Contents

- NewWaySERVICE API*..... 1**
- Introduction to NewWaySERVICE API..... 1**
- Target Audience 1**
- Internationalization and Character Sets 1**
- Prerequisites..... 1**
- API password..... 1**
- API requests..... 1**
 - Note about strings 2
 - Note about date formats 2
 - Note about number format 3
 - Note about user defined fields 3
 - Note about indexing data for search purpose 3
- API URL..... 3**
- How to send a request and get the response..... 3**
 - PHP example..... 4
 - Visual Basic example..... 4
- List of API request types..... 5**
 - customer_list (Get entire list of customers and their contacts in a summary format) 5
 - customer_get (Get a customer record) 6
 - customer_add (Add a new customer)..... 7
 - customer_edit (Edit an existing customer)..... 9
 - contact_get (Get a customer contact record)..... 9
 - contact_add (Add a new contact to an existing customer)..... 10
 - contact_edit (Edit an existing customer contact) 11
 - document_get (Get a document) 11
 - document_add (Add a new document) 12
 - document_delete (Delete a document)..... 13
 - equipment_type_list (Get list of all equipment types) 14
 - equipment_type_get (Get an equipment type) 14
 - equipment_type_add (Add a new equipment type)..... 15
 - equipment_type_edit (Edit an existing equipment type)..... 16
 - equipment_list (Get summary list of equipments) 16
 - equipment_get (Get a single equipment) 17
 - equipment_add (Add a new equipment) 17
 - equipment_edit..... 18
 - labor_rate_list (List all labor rates)..... 19
 - part_list (List all parts)..... 20
 - part_get (Get a single part)..... 20
 - part_add 21
 - part_edit..... 22
 - part_inventory_tx_list (List inventory part transactions)..... 22
 - part_inventory_tx_add (Add a part inventory transaction) 23
 - purchase_order_list (List purchase orders in summary format)..... 24
 - purchase_order_get (Get a purchase order including all lines) 25
 - purchase_order_add (Add a new purchase order)..... 27

purchase_order_edit (Edit an existing purchase order).....	28
purchase_order_delete (Delete a purchase order)	29
purchase_order_line_add (Add a purchase order line).....	29
purchase_order_line_edit (Edit an existing purchase order line)	30
purchase_order_line_delete (Delete a purchase order line)	30
purchase_order_line_receiving (Purchase order line receiving)	31
supplier_list (Get entire list of suppliers in a summary format).....	31
supplier_get (Get a supplier record).....	32
supplier_add (Add a new supplier)	33
supplier_edit (Edit an existing supplier)	34
supplier_delete (Delete a supplier).....	34
technician_list (List all technicians in a summary format)	35
warehouse_list (List all warehouses)	36
workorder_label_list (List all work order labels).....	36
workorder_list (List all work orders in summary format).....	37
workorder_get.....	38
workorder_add.....	38
workorder_edit.....	40
workorder_equipment_add	41
workorder_equipment_edit	42
workorder_equipment_delete.....	42
workorder_appointment_add	42
workorder_appointment_edit	43
workorder_appointment_delete	43
workorder_performed_work_add (Add work performed, including parts and labor).....	44
workorder_performed_work_delete.....	45
Appendix A. List of error codes	46
Appendix B. Description of Ids	47
Work order statuses.....	47
Work order priorities.....	47
Inventory part transaction types.....	48
Copyright	49

NewWaySERVICE API

Introduction to NewWaySERVICE API

The NewWaySERVICE API (Application Programming Interface) is an interface that allow you to exchange data between NewWaySERVICE and other software. This API allows you to read and write data in most of options of NewWaySERVICE such as Customers, Equipment, Work orders, etc. This API is based on industry standard components HTTPS (Secure Hypertext Transfer Protocol) and XML (Extensible Markup Language).

Target Audience

This document is intended for developers of applications that will connect to the NewWaySERVICE.com web site.

Internationalization and Character Sets

NewWaySERVICE uses UTF-8 encoding to store and display characters in the application.

Prerequisites

The API works only with the **Advanced** version of NewWaySERVICE. To activate the API, from NewWaySERVICE, select the tab **Options** then select the option **Application configuration**. Check the box **Allow access to data via API** from the section named **API (Application Programming Interface)**. Note that the API can be fully used even if you are in trial mode.

API password

Each NewWaySERVICE account has a unique API password which can be found in the option **Application configuration** (section **API (Application Programming Interface)**) via the tab **Options**. A new API password can be generated just by clicking the button **Change API password**. Note that if you generate a new API password for your account, the previous password will not work anymore to perform API requests.

This API password is used for two things:

- 1) To prevent unauthorized access to your NewWaySERVICE data.
- 2) To know which NewWaySERVICE account data you want to access. Indeed, each NewWaySERVICE password is unique. Two different accounts will never have the same password.

API requests

All API requests must be made via SSL over HTTPS. Requests must be submitted via HTTPS POST in the following format:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  Request_details
</request>
```

Replace `abcdef-123456` by your API password then replace `Request_details` by valid request instructions. See section **API request types** below for more information about valid requests instructions.

Here is an example API request that will add a new contact in a customer record:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <contact_add>
    <customer_id>5271</customer_id>
    <name>John Doe</name>
    <position>President</position>
    <notification>yes</notification>
    <phone>418-524-5066</phone>
    <mobile>418-524-0000</mobile>
    <fax>418-524-1063</fax>
    <email>john.doe@NewWaySERVICE.com</email>
  </contact_add>
</request>
```

If the example API request above is successful, the API will return an XML as the following:

```
<response app="newwayservice" version="5" status="1">
  <contact_id>3834</contact_id>
</response>
```

On the other side, if the example API request above fails, the API will return an XML as the following:

```
<response app="newwayservice" version="5" status="0">
  <error code="1102">
    <![CDATA[Record duplicate error. A record with the supplied
      value already exists. There is already a contact
      with this name for this customer.]]>
  </error>
</response>
```

In short, you have to verify the **status** attribute of the **response** tag to know if the API request was successful or not. A value of **1** means successful while a value of **0** means that an error occurred. Additional information will be also included in the XML result according to the kind of result and/or the kind of request you made. Refer to the section **API request types** below for more information about results each request type can produce.

Note about strings

Note that all strings contained in responses are enclosed in a CDATA section. When you send a request, you can as well enclose strings in CDATA sections for example when these strings contain special characters. However, if your strings does not include special characters, it is not mandatory to use CDATA section in your XML requests.

Note about date formats

Date are always returned in the following format: YYYY-MM-DD

Ex.: 2013-04-25

DateTime are always returned in the following format YYYY-MM-DD HH:MM:SS

Ex.: 2013-04-25 23:15:00

When you have to pass Date or DateTime to an API request, you must also respect these formats as well else your request could be rejected or return an error message.

Note about number format

Decimal numbers are always returned with a dot as the decimal separator and nothing as the thousands separator. Ex.: 23941.60

When you have to pass decimal numbers to an API request, numbers must be passed in this format as well else your request could be rejected or return an error message.

Note about user defined fields

If you defined user defined fields, when applicable, these fields will be returned in the response as well. In such case, the tag for these fields will be named udfXXXX where XXXX is the user defined field number generated by the system at user defined field creation time. An attribute named **description** will be added to the tag as well to let you know the description of the user defined field.

You can insert and update data in user defined fields as well. In such case, just use the tag name that correspond to the user defined field to update. You do not have to specify the **description** attribute when adding or updating data in user defined fields. See examples in sections **customer_get** and **customer_add** below for more information about user defined fields.

Note about indexing data for search purpose

When you manually enter data into the software, data are automatically indexed into the database so that this information can be retrieved quickly when you search for it.

However, when you are inserting, updating or deleting data using the API, to speed up the process, this data is not indexed immediately. Data is indexed later in background. So, in normal circumstances, it takes usually about one hour before data inserted via the API is indexed. So, do not worry if you search for something immediately after inserting it and the search returns nothing. Just wait one hour then perform your search again and the search should return something that time.

API URL

Always use the following URL to send your XML requests: <https://app.newwayservice.com/api.php>

This url requires only one parameter (POST only) named **xml_request**.

How to send a request and get the response

You can use any programming language you want to send the request to the API.

PHP example

Here is a PHP example that is using CURL to send a request and retrieve the response. This example generates an HTML page and prints the result in a textarea object:

```
<?php

$xml = '<request app="newwayservice" version="5" password="abcdef-123456">
    <contact_add>
        <customer_id>5271</customer_id>
        <name>John Doe</name>
        <position>President</position>
        <notification>yes</notification>
        <phone>418-524-5066</phone>
        <mobile>418-524-0000</mobile>
        <fax>418-524-1063</fax>
        <email>john.doe@NewWaySERVICE.com</email>
    </contact_add>
</request>';

$postfields = array('xml_request'=>$xml);
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL, 'https://app.newwayservice.com/api.php');
curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
curl_setopt($ch, CURLOPT_FOLLOWLOCATION, true);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, $postfields);
curl_setopt($ch, CURLOPT_SSL_VERIFYHOST, 0);
$result = curl_exec($ch);

?>

<!DOCTYPE html>
<html>
<head>
    <title>test</title>
</head>
<body>
    <textarea rows="200" cols="200"><?php echo $result; ?></textarea>
</body>
</html>
```

Visual Basic example

Here is a Visual Basic example that retrieves the customer list. The variable API_PW should be set to your API password. This example prints the result in the debugger window:

```
Sub TestHTTPPost()
    Set objHTTP = CreateObject("MSXML2.ServerXMLHTTP")
    URL = "https://app.newwayservice.com/api.php"
    objHTTP.Open "POST", URL, False
    objHTTP.setRequestHeader "Content-Type", "application/x-www-form-urlencoded"
```

```
objHTTP.send ("xml_request=<request app="newwayservice" version="5"
password="" & API_PW & ""><customer_list></customer_list></request>")
Debug.Print objHTTP.responseText
End Sub
```

List of API request types

customer_list (Get entire list of customers and their contacts in a summary format)

Once the list of customers retrieved, you can use the **customer_get** request type to retrieve the complete record of a specific customer using the **customer_id** retrieved.

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <customer_list>
  </customer_list>
</request>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <customer>
    <customer_id>5271</customer_id>
    <code><![CDATA[XYZ-001]]></code>
    <name><![CDATA[XYZ Industries Inc.]]></name>
    <status>active</status>
    <contact>
      <contact_id>6317</contact_id>
      <name><![CDATA[Mary Poppins]]></name>
      <main_contact>yes</main_contact>
    </contact>
    <contact>
      <contact_id>6592</contact_id>
      <name><![CDATA[John Doe]]></name>
      <main_contact>no</main_contact>
    </contact>
  </customer>
  <customer>
    <customer_id>5272</customer_id>
    <code><![CDATA[ABC-999]]></code>
    <name><![CDATA[ABC Inc.]]></name>
    <status>inactive</status>
    <contact>
      <contact_id>5543</contact_id>
      <name><![CDATA[Andy White]]></name>
      <main_contact>yes</main_contact>
    </contact>
  </customer>
</response>
```


customer_get (Get a customer record)**XML request example:**

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <customer_get>
    <customer_id>5271</customer_id>
  </customer_get>
</request>
```

customer_id: integer – Required - Id of the customer to retrieve. If the customer id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <customer>
    <customer_id>5271</customer_id>
    <code><![CDATA[XYZ-001]]></code>
    <name><![CDATA[XYZ Industries Inc.]]></name>
    <address><![CDATA[330 Fortune Street
Quebec QC G1K 9C5]]></address>
    <special_instructions><![CDATA[Gas before.]]></special_instructions>
    <internal_notes><![CDATA[Bla bla bla]]></internal_notes>
    <status>active</status>
    <category_id>0</category_id>
    <category_description><![CDATA[Default category]]></category_description>
    <zone_id>104</zone_id>
    <zone_description><![CDATA[Quebec East]]></zone_description>
    <if_is_a_branch_parent_customer_id></if_is_a_branch_parent_customer_id>
    <if_is_a_branch_bill_parent_customer>no</if_is_a_branch_bill_parent_customer>
    <preferred_technician_id></preferred_technician_id>
    <preferred_technician_name><![CDATA[]]></preferred_technician_name>
    <udf204 description="Salesman"><![CDATA[Bob White]]></udf204>
    <contact>
      <contact_id>6317</contact_id>
      <customer_id>5271</customer_id>
      <name><![CDATA[Mary Poppins]]></name>
      <phone><![CDATA[418-524-5066]]></phone>
      <mobile><![CDATA[418-524-0000]]></mobile>
      <fax><![CDATA[418-524-1063]]></fax>
      <email><![CDATA[mary.poppins@NewWaySERVICE.com]]></email>
      <position><![CDATA[Nanny]]></position>
      <notification>yes</notification>
      <main_contact>yes</main_contact>
    </contact>
    <contact>
      <contact_id>6592</contact_id>
      <customer_id>5271</customer_id>
      <name><![CDATA[John Doe]]></name>
      <phone><![CDATA[418-524-5066]]></phone>
      <mobile><![CDATA[418-524-0000]]></mobile>
      <fax><![CDATA[418-524-1063]]></fax>
```

```

    <email><![CDATA[john.doe@NewWaySERVICE.com]]></email>
    <position><![CDATA[Technician]]></position>
    <notification>no</notification>
    <main_contact>no</main_contact>
  </contact>
  <bank_of_hour>
    <bank_of_hour_id>85</bank_of_hour_id>
    <description><![CDATA[Bank ABC]]></description>
    <status>active</status>
    <end_date></end_date>
    <minutes>600</minutes>
    <minutes_used>120</minutes_used>
  </bank_of_hour>
  <labor_rate>
    <labor_rate_id>0</labor_rate_id>
    <description><![CDATA[Default rate]]></description>
    <rate>59.9900</rate>
  </labor_rate>
  <document>
    <document_id>438</document_id>
    <filename><![CDATA[plan-1.pdf]]></filename>
    <description><![CDATA[This is the first plan]]></description>
    <mime_type>application/pdf</mime_type>
    <size>291921</size>
  </document>
  <document>
    <document_id>7020</document_id>
    <filename><![CDATA[test.png]]></filename>
    <description><![CDATA[test.png]]></description>
    <mime_type>image/jpeg</mime_type>
    <size>838</size>
  </document>
</customer>
</response>

```

customer_add (Add a new customer)

XML request example:

```

<request app="newwayservice" version="5" password="abcdef-123456">
  <customer_add>
    <code>XYZ-001</code>
    <name>XYZ Industries Inc.</name>
    <address><![CDATA[330 St-Vallier East
Suite 110
Quebec QC G1K 9C5]]></address>
    <special_instructions><![CDATA[Call before going
there.]]></special_instructions>
    <internal_notes><![CDATA[Bla bla bla]]></internal_notes>
    <status>active</status>
    <category_description>Privileged customers</category_description>
    <zone_id>0</zone_id>
    <if_is_a_branch_parent_customer_id></if_is_a_branch_parent_customer_id>
  </customer_add>
</request>

```

```

<if_is_a_branch_bill_parent_customer>no</if_is_a_branch_bill_parent_customer>
<preferred_technician_id></preferred_technician_id>
<portal_password>123456</portal_password>
<udf204>Janet Wilson</udf204>
<contact>
  <name>Alex Martin</name>
  <phone>418-524-5066</phone>
  <mobile>418-524-0000</mobile>
  <fax>418-524-1063</fax>
  <email>alex.martin@NewWaySERVICE.com</email>
  <position>Supervison</position>
</contact>
</customer_add>
</request>

```

customer section

code: string(30) – If specified, must be unique else the request will fail.

name: string(50) – Required – Customer name. If the customer name already exists, the request will fail.

address: text

special_instructions: text

internal_notes: text

status: If specified, you must specify **active** or **inactive**. Default is active.

category_id: integer – If not specified, the default category will be used.

category_description: string (35) – It allows you to specify the category using the category description instead of its id. The API will retrieve the category_id for you. If category_id is specified this field will be ignored.

zone_id: integer – If not specified, the default zone will be used.

zone_description: string (35) – It allows you to specify the zone using the zone description instead of its id. The API will retrieve the zone_id for you. If zone_id is specified this field will be ignored.

if_is_a_branch_parent_customer_id: integer – If specified, the customer id specified here must exist.

if_is_a_branch_bill_parent_customer: If specified, you must specify **yes** or **no**. Default is **no**. This field is taken into consideration only when the field if_is_a_branch_parent_customer_id is specified as well.

preferred_technician_id: integer – If specified, the technician id must exist and its role must be technician.

portal_password: string (30) – Customer portal password.

contact section

You can optionally add the main contact of the customer at the same time. If you do not include any contact information, a main contact will be automatically created using the customer name.

name: string (50) – Required - Name of the contact to add.

position: string (50)

notification: If specified, you must specify **yes** or **no**. Default is **no**.

phone: string (25)

mobile: string (25)

fax: string (25)

email: string (60) - If you provide an e-mail address, the e-mail address must be in a valid e-mail format.

Response successful example:

```

<response app="newwayservice" version="5" status="1">
  <customer_id>5271</customer_id>
  <contact_id>3834</contact_id>
</response>

```

customer_id: Id of the new created customer.

contact_id: Id of the new created contact.

customer_edit (Edit an existing customer)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <customer_edit>
    <customer_id>5271</customer_id>
    <address><![CDATA[330 St-Vallier East
Suite 110-B
Quebec QC G1K 9C5]]></address>
  </customer_edit>
</request>
```

customer_id: integer – Required - Id of the customer to edit. If the customer id specified does not exist, the request will fail.

See request type **customer_add** for information about other fields. Of course, fields not specified in your XML request will not be updated and will not be erased either.

You must use the request type **contact_edit** to edit a customer contact even when you want to edit the main contact of the customer.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <customer_id>5271</customer_id>
</response>
```

customer_id: Id of the updated customer.

contact_get (Get a customer contact record)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <contact_get>
    <contact_id>6317</contact_id>
  </contact_get>
</request>
```

contact_id: integer – Required – Id of the customer contact to retrieve. If the customer contact id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <contact>
    <contact_id>6317</contact_id>
    <customer_id>5271</customer_id>
    <name><![CDATA[Mary Poppins]]></name>
    <phone><![CDATA[418-524-5066]]></phone>
    <mobile><![CDATA[418-524-0000]]></mobile>
    <fax><![CDATA[418-524-1063]]></fax>
    <email><![CDATA[mary.poppins@NewWaySERVICE.com]]></email>
    <position><![CDATA[Nanny]]></position>
    <notification>yes</notification>
    <main_contact>yes</main_contact>
  </contact>
</response>
```

contact_add (Add a new contact to an existing customer)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <contact_add>
    <customer_id>5271</customer_id>
    <name>John Doe</name>
    <position>President</position>
    <notification>yes</notification>
    <phone>418-524-5066</phone>
    <mobile>418-524-0000</mobile>
    <fax>418-524-1063</fax>
    <email>john.doe@NewWaySERVICE.com</email>
  </contact_add>
</request>
```

customer_id: integer – Required - Id of an existing customer. Refer to request types **customer_add** and **customer_list** for more information.

name: string (50) – required - Name of the contact to add. If the customer already has a contact of the same name, the request will fail.

position: string (50)

notification: If specified, you must specify **yes** or **no**. Default is **no**.

phone: string (25)

mobile: string (25)

fax: string (25)

email: string (60) - If you provide an e-mail address, the e-mail address must be in a valid e-mail format.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <contact_id>3834</contact_id>
</response>
```

contact_id: Id of the new created contact.

contact_edit (Edit an existing customer contact)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <contact_edit>
    <contact_id>3834</contact_id>
    <mobile>418-524-0000</mobile>
    <email>john.doe@NewWaySERVICE.com</email>
  </contact_edit>
</request>
```

contact_id: integer – Id of the contact to edit. If the contact id specified does not exist, the request will fail.

See request type **customer_add** or **contact_add** for information about other fields.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <contact_id>3834</contact_id>
</response>
```

contact_id: Id of the updated contact.

document_get (Get a document)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <document_get>
    <document_id>179</document_id>
  </document_get>
</request>
```

document_id: integer – Required – Id of the document to retrieve. If the id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <document>
    <document_id>917</document_id>
    <parent_type>customer_id</parent_type>
    <parent_id>140</parent_id>
    <filename><![CDATA[small-red-x.jpg]]></filename>
    <description><![CDATA[My red X icon]]></description>
    <mime_type>image/jpeg</mime_type>
    <size>5720</size>
    <added_via>0</added_via>
    <added_by>4</added_by>
```

```

<data file_processing_status="success"><![CDATA[
/9j/4AAQSkZJRgABAQEAYABgAAD/2wBDABALDA4MChAODQ4SERATGCgaGBYWGDEjJR0oOjM9PDkz
ODdASfXoQERXRTc4UG1RV19iZ2hnPk1xeXBkeFxlZ2P/2wBDARESEhgVGC8aGi9jQjhcY2NjY2Nj
Y2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2P/wAARCAAUABQDASIA
AhEBAxEB/8QAHwAAAQUBAQEBAQEAAAAAAAAAAAECAwQFBgcICQoL/8QAtRAAAgEDAwIEAwUFBAQAA
AAF9AQIDAAQRBRIhMUEGE1FhByJxFDKBkaEII0KxwRVS0fAkM2JyggkKFhcYGRolJicoKSo0NTY3
ODk6Q0RFRkdISUpTVFVWV1hZWmNkZWZnaGlqc3R1dnd4eXqDhIWGh4iJipKTlJWWl5iZmqKjpKWm
p6ipqrKztLW2t7i5usLDxMXGx8jJytLT1NXW19jZ2uHi4+Tl5ufo6erx8vP09fb3+Pn6/8QAHwEA
AwEBAQEBAQEBAQAAAAAAAAECAwQFBgcICQoL/8QAtREAAgECBAQDBAcFBAQAAQJ3AAECAxEEBSEx
BhJBUQdhcRMiMoEIFEKRobHBCSMzUvAVYnLRChYkNOEl8RcYGRomJygpKjU2Nzgs5OkNERUZHSElK
U1RVVldYWVpjZGVmZ2hpanN0dXZ3eHl6goOEhYaHiImKkpOUlZaXmJmaoqOkpaanqKmqsrO0tba3
uLm6wsPExcbHyMnK0tPULdbX2Nna4uPk5ebn6Onq8vP09fb3+Pn6/9oADAMBAAIRAxEAPwCb/TfD
Wpf3o2/BZV/of5e4PN/WPEyy2yxaeWVpFy7kYKew9/f8vY8VatDKhsYlWRgwLuf4COW9/X8vpj2b
NpOpQyXtqTgBtjDka9CPf/PB6c7fK+VPQ9yEFwiqtSPvdu5oWXhWe4t1l1nm8hm5CFMkD35GD7UV1
tvcQ3MKTQuHjcZBFFX7OJwyx2Ivvy5LwLzW3F1LNKu5odpQHOCc8/pW94gs4brTJn1X54ULow6gg
fy4ooogvcNMVJrFrXsCRDc3EK1YbiWNc5wjkdNFFFct2e3yRfQ//2Q==
]]></data>
</document>
</response>

```

Note that the file content is returned in base64 format into the data tag. You have to decode this content from base64 format to get the original file content. Look also at the attribute `file_processing_status` of the tag data to be sure that the file was correctly encoded in base64 format. If for an unknown reason, the file cannot be returned, the error reason will be indicated into this attribute.

document_add (Add a new document)

XML request example:

```

<request app="newwayservice" version="5" password="abcdef-123456">
  <document_add>
    <customer_id>140</customer_id>
    <filename>small-red-x.jpg</filename>
    <description>My red X icon</description>
    <data><![CDATA[
/9j/4AAQSkZJRgABAQEAYABgAAD/2wBDABALDA4MChAODQ4SERATGCgaGBYWGDEjJR0oOjM9PDkz
ODdASfXoQERXRTc4UG1RV19iZ2hnPk1xeXBkeFxlZ2P/2wBDARESEhgVGC8aGi9jQjhcY2NjY2Nj
Y2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2NjY2P/wAARCAAUABQDASIA
AhEBAxEB/8QAHwAAAQUBAQEBAQEAAAAAAAAAAAECAwQFBgcICQoL/8QAtRAAAgEDAwIEAwUFBAQAA
AAF9AQIDAAQRBRIhMUEGE1FhByJxFDKBkaEII0KxwRVS0fAkM2JyggkKFhcYGRolJicoKSo0NTY3
ODk6Q0RFRkdISUpTVFVWV1hZWmNkZWZnaGlqc3R1dnd4eXqDhIWGh4iJipKTlJWWl5iZmqKjpKWm
p6ipqrKztLW2t7i5usLDxMXGx8jJytLT1NXW19jZ2uHi4+Tl5ufo6erx8vP09fb3+Pn6/8QAHwEA
AwEBAQEBAQEBAQAAAAAAAAECAwQFBgcICQoL/8QAtREAAgECBAQDBAcFBAQAAQJ3AAECAxEEBSEx
BhJBUQdhcRMiMoEIFEKRobHBCSMzUvAVYnLRChYkNOEl8RcYGRomJygpKjU2Nzgs5OkNERUZHSElK
U1RVVldYWVpjZGVmZ2hpanN0dXZ3eHl6goOEhYaHiImKkpOUlZaXmJmaoqOkpaanqKmqsrO0tba3
uLm6wsPExcbHyMnK0tPULdbX2Nna4uPk5ebn6Onq8vP09fb3+Pn6/9oADAMBAAIRAxEAPwCb/TfD
Wpf3o2/BZV/of5e4PN/WPEyy2yxaeWVpFy7kYKew9/f8vY8VatDKhsYlWRgwLuf4COW9/X8vpj2b
NpOpQyXtqTgBtjDka9CPf/PB6c7fK+VPQ9yEFwiqtSPvdu5oWXhWe4t1l1nm8hm5CFMkD35GD7UV1
tvcQ3MKTQuHjcZBFFX7OJwyx2Ivvy5LwLzW3F1LNKu5odpQHOCc8/pW94gs4brTJn1X54ULow6gg
fy4ooogvcNMVJrFrXsCRDc3EK1YbiWNc5wjkdNFFFct2e3yRfQ//2Q==
]]></data>
  </document_add>
</request>

```

filename: string (254) – Required – Original name of the file. From the application, when the user click on the file to open or download it, this is this file name that used and sent to your web browser.

description: string (65) – Required – Short description of the file. Can be the same as filename.

data: file content encoded in base64 format. Retrieve the content of the file to upload, encode it in base 64 format then put the result into this tag. A maximum file size of about 10Mb is allowed.

One of the following tag (and only one) is required to indicate to which item to attach the file. For example, if you want to attach the file to a customer, put the customer id into the customer_id tag. if you want to attach the file to a work order, put the work order id into the workorder_id tag, and so on.

customer_id: integer - if a valid customer_id is not provided, the request will fail.

equipment_type_id: integer - If no valid equipment_type_id is provided, the request will fail.

equipment_id: integer - if a valid equipment_id is not provided, the request will fail.

part_id: integer - If no valid part_id is provided, the request will fail.

purchase_order_id: integer - if a valid purchase_id is not provided, the request will fail.

supplier_id: integer - If no valid supplier_id is provided, the request will fail.

technician_id: integer - if a valid technician_id is not provided, the request will fail.

workorder_id: integer - If no valid workorder_id is provided, the request will fail.

article_id: integer - If no valid article id is provided (article in knowledge base), the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <document_id>1969</document_id>
</response>
```

document_id: Id of the newly created document.

document_delete (Delete a document)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <document_delete>
    <document_id>1933</document_id>
  </document_delete>
</request>
```

document_id: integer – Required - Id of the document to delete. If the document id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <document_id>1933</document_id>
</response>
```

document_id: Id of the deleted document.

equipment_type_list (Get list of all equipment types)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <equipment_type_list>
</equipment_type_list>
</request>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <equipment_type>
    <equipment_type_id>2</equipment_type_id>
    <code><![CDATA[AC-A]]></code>
    <description><![CDATA[Air Conditioner Model A]]></description>
    <status>active</status>
  </equipment_type>
  <equipment_type>
    <equipment_type_id>3</equipment_type_id>
    <code><![CDATA[AC-B]]></code>
    <description><![CDATA[Air Conditioner Model B]]></description>
    <status>active</status>
  </equipment_type>
  <equipment_type>
    <equipment_type_id>4</equipment_type_id>
    <code><![CDATA[AC-C]]></code>
    <description><![CDATA[Air Conditioner Model C]]></description>
    <status>active</status>
  </equipment_type>
</response>
```

equipment_type_get (Get an equipment type)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <equipment_type_get>
    <equipment_type_id>14</equipment_type_id>
  </equipment_type_get>
</request>
```

equipment_type_id: integer – Required – Id of the equipment type to retrieve. If the id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <equipment_type>
```

```

<equipment_type_id>14</equipment_type_id>
<code><![CDATA[BAT-001]]></code>
<description><![CDATA[Battery Model 001]]></description>
<special_instructions><![CDATA[Be careful]]></special_instructions>
<internal_notes><![CDATA[AAA 1.5V]]></internal_notes>
<status>active</status>
<category_id>0</category_id>
<category_description><![CDATA[Calculators]]></category_description>
<udf218 description="weight"><![CDATA[1 pound]]></udf218>
<udf226 description="height"><![CDATA[10 cm]]></udf226>
<udf228 description="width"><![CDATA[12 cm]]></udf228>
<udf229 description="reseller_name"><![CDATA[123 Ltd.]]></udf229>
<udf230 description="battery_life"><![CDATA[250 hours]]></udf230>
<udf286
description="manufacturer_link"><![CDATA[http://www.wikipedia.org]]></udf286>
</equipment_type>
</response>

```

equipment_type_add (Add a new equipment type)

XML request example:

```

<request app="newwayservice" version="5" password="abcdef-123456">
  <equipment_type_add>
    <code>DRILL-001</code>
    <description>Diamond tipped rock drill</description>
    <special_instructions><![CDATA[Always call before going on
site.]]></special_instructions>
    <internal_notes><![CDATA[Bla bla bla]]></internal_notes>
    <status>active</status>
    <category_id>0</category_id>
  </equipment_type_add>
</request>

```

code: string (30) – If specified, must be unique else the request will fail.

description: string (65) – Required - Description of the equipment type to add. If the equipment type description already exists, the request will fail.

special_instructions: text

internal_notes: text

status: If specified, you must specify **active** or **inactive**. Default is active.

category_id: integer – If not specified, the default category will be used.

category_description: string (35) – It allows you to specify the category using the category description instead of its id. The API will retrieve the category_id for you. If category_id is specified this field will be ignored.

Response successful example:

```

<response app="newwayservice" version="5" status="1">
  <equipment_type_id>787</equipment_type_id>
</response>

```

equipment_type_id: Id of the newly created equipment type.

equipment_type_edit (Edit an existing equipment type)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <equipment_type_edit>
    <equipment_type_id>4321</equipment_type_id>
    <status>inactive</status>
  </equipment_type_edit>
</request>
```

equipment_type_id: integer – Required - Id of the equipment type to edit. If the equipment type id specified does not exist, the request will fail.

See request type **equipment_type_add** for information about other fields.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <equipment_type_id>4321</equipment_type_id>
</response>
```

equipment_type_id: Id of the updated equipment type.

equipment_list (Get summary list of equipments)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <equipment_list>
</equipment_list>
</request>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
<equipment>
  <equipment_id>51</equipment_id>
  <serial_number><![CDATA[5tgb-6yhn]]></serial_number>
  <customer_id>103</customer_id>
  <equipment_type_id>9</equipment_type_id>
  <parent_equipment_id>0</parent_equipment_id>
  <status>active</status>
</equipment>
<equipment>
  <equipment_id>60</equipment_id>
  <serial_number><![CDATA[xax-8272]]></serial_number>
  <customer_id>124</customer_id>
```

```

<equipment_type_id>14</equipment_type_id>
<parent_equipment_id>0</parent_equipment_id>
<status>active</status>
</equipment>
</response>

```

equipment_get (Get a single equipment)

XML request example:

```

<request app="newwayservice" version="5" password="abcdef-123456">
  <equipment_get>
    <equipment_id>144</equipment_id>
  </equipment_get>
</request>

```

equipment_id: integer – Required – Id of the equipment to edit. If the id specified does not exist, the request will fail.

Response successful example:

```

<response app="newwayservice" version="5" status="1">
  <equipment>
    <equipment_id>144</equipment_id>
    <serial_number><![CDATA[ABC-123-XYZ33-RT99]]></serial_number>
    <notes_special><![CDATA[]]></notes_special>
    <notes_internal><![CDATA[]]></notes_internal>
    <customer_id>138</customer_id>
    <equipment_type_id>58</equipment_type_id>
    <has_warranty>no</has_warranty>
    <warranty_duration>12</warranty_duration>
    <sale_date></sale_date>
    <has_service_contract>no</has_service_contract>
    <service_contract_date></service_contract_date>
    <service_contract_duration>0</service_contract_duration>
    <service_contract_reference><![CDATA[]]></service_contract_reference>
    <status>active</status>
    <has_counter>no</has_counter>
    <counter_value></counter_value>
    <parent_equipment_id>0</parent_equipment_id>
    <udf233 description="location"><![CDATA[Main site]]></udf233>
  </equipment>
</response>

```

equipment_add (Add a new equipment)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <equipment_add>
    <serial_number>DR-02345-XSZ-45678-4TE55</serial_number>
    <customer_id>1234</customer_id>
    <equipment_type_id>25523</equipment_type_id>
    <special_instructions><![CDATA[On site warranty]]></special_instructions>
    <internal_notes><![CDATA[Bla bla bla]]></internal_notes>
    <has_warranty>yes</has_warranty>
    <warranty_duration>12</warranty_duration>
    <sale_date>2013-12-01</sale_date>
    <has_service_contract>yes</has_service_contract>
    <service_contract_date>2012-11-20</service_contract_date>
    <service_contract_duration>36</service_contract_duration>
    <service_contract_reference>MS-2344</service_contract_reference>
    <status>active</status>
    <has_counter>yes</has_counter>
    <counter_value>12000</counter_value>
    <parent_equipment_id>0</parent_equipment_id>
    <udf233>Site B</udf233>
  </equipment_add>
</request>
```

code: string (30) – If specified, must be unique else the request will fail.

customer_id: integer – Required, if a valid customer_id is not provided, the request will fail.

equipment_type_id: integer – Required - If no valid equipment_type_id is provided, the request will fail.

special_instructions: text

internal_notes: text

status: You must specify **active** or **inactive**. If not specified, the equipment will be active by default.

has_warranty: yes/no

warranty_duration: integer - Number of months

sale_date: date in Date format (see notes about formats at the beginning of this document)

has_service_contract: yes/no, default is no.

service_contract_date: date in Date format (see notes about formats at the beginning of this document)

service_contract_duration: integer – Number of months

service_contract_reference: string(25)

has_counter: yes/no - default is no.

counter_value: integer – Default is 0.

parent_equipment_id integer – If specified, must be a valid existing equipment id.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <equipment_id>3456</equipment_id>
</response>
```

equipment_id: Id of the newly created equipment.

equipment_edit

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <equipment_edit>
    <equipment_id>3456</equipment_id>
    <counter_value>51482</counter_value>
  </equipment_edit>
</request>
```

equipment_id: integer – Required, if a valid equipment_id is not provided, the request will fail.

See request type **equipment_add** for information about other fields.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <equipment_id>3456</equipment_id>
</response>
```

equipment_id : Id of the updated equipment

labor_rate_list (List all labor rates)**XML request example:**

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <labor_rate_list>
  </labor_rate_list>
</request>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <labor_rate>
    <labor_rate_id>0</labor_rate_id>
    <description><![CDATA[Default rate]]></description>
    <rate>29.9900</rate>
    <status>active</status>
  </labor_rate>
  <labor_rate>
    <labor_rate_id>104</labor_rate_id>
    <description><![CDATA[Rate and a half]]></description>
    <rate>44.9900</rate>
    <status>inactive</status>
  </labor_rate>
  <labor_rate>
    <labor_rate_id>106</labor_rate_id>
    <description><![CDATA[Double rate]]></description>
    <rate>59.9800</rate>
    <status>active</status>
  </labor_rate>
</response>
```

part_list (List all parts)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <part_list>
</part_list>
</request>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <part>
    <part_id>114</part_id>
    <code><![CDATA[BOLT-12]]></code>
    <description><![CDATA[Bolt 1/2" ]></description>
    <status>active</status>
  </part>
  <part>
    <part_id>115</part_id>
    <code><![CDATA[BOLT-14]]></code>
    <description><![CDATA[Bolt 1/4" ]></description>
    <status>active</status>
  </part>
  <part>
    <part_id>116</part_id>
    <code><![CDATA[BOLT-34]]></code>
    <description><![CDATA[Bolt 3/4" ]></description>
    <status>active</status>
  </part>
</response>
```

part_get (Get a single part)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <part_get>
    <part_id>2004</part_id>
  </part_get>
</request>
```

part_id: integer – Required - Id of the part to retrieve. If the id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
```

```

<part>
  <part_id>2004</part_id>
  <code><![CDATA[POTATO-123-V2]]></code>
  <description><![CDATA[Willy Waller 2006 Deluxe V2]]></description>
  <price>300.0000</price>
  <quantity>32.0000</quantity>
  <quantity_to_receive>0.0000</quantity_to_receive>
  <quantity_to_be_planned>10.0000</quantity_to_be_planned>
  <quantity_to_order>3.0000</quantity_to_order>
  <minimum_stock_quantity>25.0000</minimum_stock_quantity>
  <status>active</status>
  <internal_notes><![CDATA[New and Improved!!]]></internal_notes>
  <category_id>0</category_id>
  <part_category_description><![CDATA[Default]]></part_category_description>
  <supplier_id>0</supplier_id>
  <supplier_name><![CDATA[Supplier 2000 Inc.]]></supplier_name>
  <udf215 description="length"><![CDATA[5 1/2 cm]]></udf215>
  <udf216 description="weight"><![CDATA[200 grams]]></udf216>
  <part_quantity>
    <warehouse_id>0</warehouse_id>
    <quantity>14.0000</quantity>
  </part_quantity>
  <part_quantity>
    <warehouse_id>1</warehouse_id>
    <quantity>18.0000</quantity>
  </part_quantity>
</part>
</response>

```

part_add

XML request example:

```

<request app="newwayservice" version="5" password="abcdef-123456">
  <part_add>
    <code><![CDATA[THETHING-MOTOR-002]]></code>
    <description><![CDATA[Motor for the thing]]></description>
    <price>400.0000</price>
    <minimum_stock_quantity>25</minimum_stock_quantity>
    <status>active</status>
    <internal_notes><![CDATA[Model 001 is obsolete]]></internal_notes>
    <part_category_id>0</part_category_id>
    <supplier_id>0</supplier_id>
  </part_add>
</request>

```

code: string(30) – Not required, but if provided must be unique or the request will fail.

description: string(65) – Required, must be unique or request will fail.

price: decimal – Default 0

minimum_stock_quantity: decimal – Default 0

status: You must specify **active** or **inactive**. If not specified, the part will be active by default.

internal_notes: text

part_category_id : integer – Required, but if not specified, the default category will be used

supplier_id: integer – Required, but if not specified, the default supplier will be used

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <part_id>2834</part_id>
</response>
```

part_edit

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <part_edit>
    <part_id>2004</part_id>
    <price>245.34</price>
  </part_edit>
</request>
```

part_id: integer – Required - Id of the part to edit. If the id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <part_id>2004</part_id>
</response>
```

part_id : Id of the successfully updated part.

part_inventory_tx_list (List inventory part transactions)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <part_inventory_tx_list>
    <date_from>2012-06-17</date_from>
    <date_to>2012-06-24</date_to>
  </part_inventory_tx_list>
</request>
```

Possible filters (all of them are optional, useful if you want precise results)

date_from: If used, must be a valid Date format and date_to must be specified as well. (see notes about formats at the beginning of this document)

date_to: If used, must be a valid Date format and date_from must be specified as well. (see notes about formats at the beginning of this document)

part_id: If part_id does not exist, request will return nothing

supplier_id: If supplier_id does not exist, request will return nothing

workorder_id: If workorder_id does not exist, request will return nothing

technician_id: If technician_id does not exist, request will return nothing

warehouse_id: If warehouse_id does not exist, request will return nothing

purchase_order_id: If purchase_order_id does not exist, request will return nothing

purchase_order_line_id: If purchase_order_line_id does not exist, request will return nothing

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <part_inventory_tx>
    <part_inventory_tx_id>1</part_inventory_tx_id>
    <part_id>101</part_id>
    <transaction_type>1</transaction_type>
    <supplier_id>1</supplier_id>
    <quantity_in>100.0000</quantity_in>
    <quantity_out>0.0000</quantity_out>
    <reference><![CDATA[abc-123]]></reference>
    <workorder_id></workorder_id>
    <datetime>2012-06-05 11:01:44</datetime>
    <balance_warehouse>344.0000</balance_warehouse>
    <technician_id>11</technician_id>
    <warehouse_id>1</warehouse_id>
    <global_balance>517.0000</global_balance>
    <purchase_order_id></purchase_order_id>
    <purchase_order_line_id></purchase_order_line_id>
  </part_inventory_tx>
  <part_inventory_tx>
    <part_inventory_tx_id>13</part_inventory_tx_id>
    <part_id>102</part_id>
    <transaction_type>1</transaction_type>
    <supplier_id></supplier_id>
    <quantity_in>56.0000</quantity_in>
    <quantity_out>0.0000</quantity_out>
    <reference><![CDATA[]]></reference>
    <workorder_id>121</workorder_id>
    <datetime>2012-06-05 11:01:44</datetime>
    <balance_warehouse>996.0000</balance_warehouse>
    <technician_id>11</technician_id>
    <warehouse_id>1</warehouse_id>
    <global_balance>1496.0000</global_balance>
    <purchase_order_id></purchase_order_id>
    <purchase_order_line_id></purchase_order_line_id>
  </part_inventory_tx>
</response>
```

part_inventory_tx_add (Add a part inventory transaction)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <part_inventory_tx_add>
    <part_id>9890</part_id>
    <type>0</type>
    <supplier_id></supplier_id>
    <quantity>5000</quantity>
```

```
<reference>REF-123</reference>
<technician_id>436</technician_id>
<warehouse_id>34</warehouse_id>
</part_inventory_tx_add>
</request>
```

part_id: integer - Required, if no valid part_id is provided the request will fail

type: integer - Required, one of (0=Manual adjustment Other, 2=Manual adjustment Purchase/Receiving/RMA)

supplier_id: integer - Optional, but if provided must be a valid supplier_id

quantity: decimal - Required, if positive will add to inventory, if negative, will remove from inventory

reference: string(50) - Optional

technician_id: integer - Required, but if not set, default technician will be used.

warehouse_id: integer - Required, but if not set, default warehouse will be used.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <part_inventory_tx_id>2008</part_inventory_tx_id>
</response>
```

purchase_order_list (List purchase orders in summary format)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <purchase_order_list>
    <date_from>2013-05-01</date_from>
    <date_to>2013-05-30</date_to>
  </purchase_order_list>
</request>
```

Optional filters

date_from: If specified, must be a valid Date format and date_to must be specified as well (see notes about formats at the beginning of this document).

date_to: If specified, must be a valid Date format and date_from must be specified as well (see notes about formats at the beginning of this document).

supplier_id: integer - If supplier id provided doesn't exist, request will return nothing

warehouse_id: integer - If warehouse id provided doesn't exist, request will return nothing

technician_id: integer – (This is the user that created the purchase order) If technician id provided doesn't exist, request will return nothing

status: 0 to 3 - If status value provided is not a valid value, request will return nothing. 0=Pending, 1=In progress, 2=Closed, 3=Canceled.

Status_receiving: 0 to 2 - If status receiving value provided is not a valid value, request will return nothing. 0= Not received, 1= Received partially, 2= Received entirely.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <purchase_order>
    <purchase_order_id>102</purchase_order_id>
```

```

<numero>1001</numero>
<date>2017-08-11 00:00:00</date>
<status>2</status>
<status_receiving>2</status_receiving>
<supplier_id>13</supplier_id>
<supplier_name>Les industries du coin Inc.</supplier_name>
<customer_id></customer_id>
<ship_to_name>My Company Inc.</ship_to_name>
<warehouse_id>12</warehouse_id>
<technician_id>3</technician_id>
<subtotal>576.50</subtotal>
<number_of_lines>5</number_of_lines>
</purchase_order>
<purchase_order>
  <purchase_order_id>103</purchase_order_id>
  <numero>1002</numero>
  <date>2017-08-12 00:00:00</date>
  <status>1</status>
  <status_receiving>2</status_receiving>
  <supplier_id>1</supplier_id>
  <supplier_name>ABC Ltd</supplier_name>
  <customer_id>21</customer_id>
  <ship_to_name>John Doe</ship_to_name>
  <warehouse_id>0</warehouse_id>
  <technician_id>4</technician_id>
  <subtotal>7.99</subtotal>
  <number_of_lines>1</number_of_lines>
</purchase_order>
</response>

```

purchase_order_get (Get a purchase order including all lines)

XML request example:

```

<request app="newwayservice" version="5" password="abcdef-123456">
  <purchase_order_get>
    <purchase_order_id>115</purchase_order_id>
  </purchase_order_get>
</request>

```

purchase_order_id: integer – Required - Id of the purchase order to retrieve. If the purchase order id specified does not exist, the request will fail.

Response successful example:

```

<response app="newwayservice" version="5" status="1">
  <purchase_order>
    <purchase_order_id>115</purchase_order_id>
    <numero>4447</numero>
    <supplier_id>31</supplier_id>
    <supplier_code><![CDATA[SUP-001]]></supplier_code>
    <name><![CDATA[All Supplies Inc.]]></name>
    <contact><![CDATA[John Doe]]></contact>
  </purchase_order>
</response>

```

```
<address><![CDATA[123 Green Road
Suite 400
Montreal QC G1W 2L4]]></address>
<phone><![CDATA[418-524-5066]]></phone>
<mobile><![CDATA[]]></mobile>
<fax><![CDATA[418-524-1063]]></fax>
<email><![CDATA[bobe@all-supplies-inc-demo.com]]></email>
<ship_to_name><![CDATA[My Company Inc.]]></ship_to_name>
<ship_to_contact><![CDATA[Jane White]]></ship_to_contact>
<ship_to_address><![CDATA[6287 Stewart
unit 500
Maple Ridge MA V2Z 8G7
USA]]></ship_to_address>
<ship_to_phone><![CDATA[418-524-5066 Ext.: 202]]></ship_to_phone>
<ship_to_mobile><![CDATA[418-524-1063]]></ship_to_mobile>
<ship_to_fax><![CDATA[418-524-1063]]></ship_to_fax>
<ship_to_email><![CDATA[janet@this-is-fake-domain.com]]></ship_to_email>
<customer_id></customer_id>
<our_customer_number><![CDATA[54265]]></our_customer_number>
<term_of_payment><![CDATA[NET 30 DAYS]]></term_of_payment>
<supplier_reference><![CDATA[65383]]></supplier_reference>
<our_reference><![CDATA[]]></our_reference>
<date>2017-08-30 00:00:00</date>
<status>1</status>
<receiving_state>1</receiving_state>
<entered_by><![CDATA[Bob Smith]]></entered_by>
<technician_id>3</technician_id>
<special_instructions><![CDATA[]]></special_instructions>
<internal_notes><![CDATA[]]></internal_notes>
<subtotal>314.45</subtotal>
<number_of_lines>2</number_of_lines>
<udf345 description="buyer"><![CDATA[Kate Simms]]></udf345>
<purchase_order_line>
  <purchase_order_line_id>1284</purchase_order_line_id>
  <sequence>1</sequence>
  <code><![CDATA[SCREW-479652]]></code>
  <description><![CDATA[#6 x 1-1/4 in. Philips Bugle-Head Coarse Thread Sharp
Point Drywall Screws (1 lb.-Pack)]]></description>
  <quantity>10.0000</quantity>
  <cost>6.4700</cost>
  <amount>64.70</amount>
  <quantity_received>0.0000</quantity_received>
  <quantity_to_receive>0.0000</quantity_to_receive>
  <part_id>765</part_id>
  <part_description><![CDATA[Screws #6 1 1/4 phillips]]></part_description>
  <number_of_receiving>0</number_of_receiving>
</purchase_order_line>
<purchase_order_line>
  <purchase_order_line_id>1285</purchase_order_line_id>
  <sequence>1</sequence>
  <code><![CDATA[SCREW-479777]]></code>
  <description><![CDATA[#8 x 1-1/4 in. Philips Bugle-Head Coarse Thread Sharp
Point Drywall Screws (1 lb.-Pack)]]></description>
  <quantity>25.0000</quantity>
  <cost>9.9900</cost>
  <amount>249.75</amount>
  <quantity_received>0.0000</quantity_received>
```

```

    <quantity_to_receive>0.0000</quantity_to_receive>
    <part_id>720</part_id>
    <part_description><![CDATA[Screws #8 1 1/4 phillips]]></part_description>
    <number_of_receiving>0</number_of_receiving>
  </purchase_order_line>
</purchase_order>
</response>

```

purchase_order_add (Add a new purchase order)

XML request example:

```

<request app="newwayservice" version="5" password="abcdef-123456">
<purchase_order_add>
  <supplier_id>31</supplier_id>
  <name><![CDATA[All Supplies Inc.]]></name>
  <contact><![CDATA[John Doe]]></contact>
  <address><![CDATA[123 Green Road
Suite 400
Montreal QC G1W 2L4]]></address>
  <phone><![CDATA[418-524-5066]]></phone>
  <fax><![CDATA[418-524-1063]]></fax>
  <email><![CDATA[bobe@all-supplies-inc-demo.com]]></email>
  <ship_to_name><![CDATA[My Company Inc.]]></ship_to_name>
  <ship_to_contact><![CDATA[Jane White]]></ship_to_contact>
  <ship_to_address><![CDATA[6287 Stewart
unit 500
Maple Ridge MA V2Z 8G7
USA]]></ship_to_address>
  <ship_to_phone><![CDATA[418-524-5066 Ext.: 202]]></ship_to_phone>
  <ship_to_mobile><![CDATA[418-524-1063]]></ship_to_mobile>
  <ship_to_fax><![CDATA[418-524-1063]]></ship_to_fax>
  <ship_to_email><![CDATA[janet@this-is-fake-domain.com]]></ship_to_email>
  <our_customer_number><![CDATA[54265]]></our_customer_number>
  <term_of_payment><![CDATA[NET 30 DAYS]]></term_of_payment>
  <date>2017-08-30</date>
  <udf345><![CDATA[Kate Simms]]></udf345>
</purchase_order_add>
</request>

```

supplier_id: integer – Required - Id of the supplier. If the supplier id specified does not exist, the request will fail.

name: string(50) – Required – Supplier name.

contact: string (50) – Name of the contact.

address: text

phone: string (25)

mobile: string (25)

fax: string (25)

email: string (60) - If you provide an e-mail address, the e-mail address must be in a valid e-mail format.

ship_to_name: string(50) – Ship to name.

ship_to_contact: string (50)

ship_to_address: text

ship_to_phone: string (25)

ship_to_mobile: string (25)

ship_to_fax: string (25)

ship_to_email: string (60) - If you provide an e-mail address, the e-mail address must be in a valid e-mail format.

customer_id: integer – Id of the customer. You can ship a purchase order to a customer. So, you can indicate it here. If specified, the id must be an existing customer id.

warehouse_id: integer – Required - Id of the ship to warehouse. If the warehouse id specified does not exist, the request will fail.

date: Required in Date format (see notes about formats at the beginning of this document)

term_of_payment: string (30) – Term of payment.

our_customer_number: string (30) – Our customer number.

our_reference: string (30) – Our purchase order reference.

Supplier_reference: string (30) – Supplier purchase order reference.

special_instructions: text

internal_notes: text

status: integer – Required – Must be a value between 0 and 3. 0=Pending, 1=In progress, 2=Closed, 3=Canceled.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <purchase_order_id>539</purchase_order_id>
  <numero>1028</numero>
</response>
```

purchase_order_id: Id of the new created purchase order.

numero: Purchase order number of the new created purchase order.

purchase_order_edit (Edit an existing purchase order)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <purchase_order_edit>
    <purchase_order_id>539</purchase_order_id>
    <term_of_payment><![CDATA[NET 45 DAYS]]></term_of_payment>
  </purchase_order_edit>
</request>
```

purchase_order_id: integer – Required - Id of the purchase order to edit. If the purchase order id specified does not exist, the request will fail.

See request type **purchase_order_add** for information about other fields. Of course, fields not specified in your XML request will not be updated and will not be erased either.

Note that if you want to set the customer_id field to no value, pass the value -1 to the customer id like this:

```
<customer_id>-1</customer_id>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <purchase_order_id>539</purchase_order_id>
</response>
```

purchase_order_id: Id of the updated purchase order.

purchase_order_delete (Delete a purchase order)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <purchase_order_delete>
    <purchase_order_id>552</purchase_order_id>
  </purchase_order_delete>
</request>
```

purchase_order_id: integer – Required - Id of the purchase order to delete. If the purchase order id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <purchase_order_id>552</purchase_order_id>
</response>
```

purchase_order_id: Id of the deleted purchase order.

purchase_order_line_add (Add a purchase order line)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <purchase_order_line_add>
    <purchase_order_id>631</purchase_order_id>
    <part_id>149</part_id>
    <code><![CDATA[SCREW-479777]]></code>
    <description><![CDATA[#8 x 1-1/4 in. Philips Bugle-Head Coarse Thread Sharp Point Drywall Screws (1 lb.-Pack)]]></description>
    <quantity>25.0</quantity>
    <cost>9.99</cost>
  </purchase_order_add>
</request>
```

purchase_order_id: integer – Required - Id of the purchase order to edit. If the purchase order id specified does not exist, the request will fail.

part_id: integer – Id of the part. If specified, the id must be an existing part id. If not specified, the purchase order line cannot be received into inventory. Useful for entering comments on a purchase order.

code: string(30) – Supplier part code

description: text – Supplier part description

quantity: decimal – Default 0 if not specified

cost: decimal – Default 0 if not specified

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <purchase_order_id>631</purchase_order_id>
  <purchase_order_line_id>2478</purchase_order_line_id>
</response>
```

purchase_order_id: Id of the purchase order edited.

purchase_order_line_id: Id of the new added purchase order line.

purchase_order_line_edit (Edit an existing purchase order line)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <purchase_order_line_edit>
    <purchase_order_line_id>2478</purchase_order_line_id>
    <quantity>45</quantity>
  </purchase_order_line_edit>
</request>
```

purchase_order_line_id: integer – Required - Id of the purchase order line to edit. If the purchase order line id specified does not exist, the request will fail.

See request type **purchase_order_line_add** for information about other fields. Of course, fields not specified in your XML request will not be updated and will not be erased either.

Note that if you want to set the part_id field to no value, pass the value -1 to the part id like this:

```
<part_id>-1</part_id>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <purchase_order_line_id>2478</purchase_order_line_id>
</response>
```

purchase_order_line_id: Id of the updated purchase order line.

purchase_order_line_delete (Delete a purchase order line)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <purchase_order_line_delete>
```

```
<purchase_order_line_id>2478</purchase_order_line_id>
</purchase_order_line_delete>
</request>
```

purchase_order_line_id: integer – Required - Id of the purchase order line to delete. If the purchase order line id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <purchase_order_line_id>2478</purchase_order_line_id>
</response>
```

purchase_order_line_id: Id of the deleted purchase order line.

purchase_order_line_receiving (Purchase order line receiving)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <purchase_order_line_receiving>
    <purchase_order_line_id>2478</purchase_order_line_id>
    <quantity>5.25</quantity>
    <warehouse_id>12</warehouse_id>
    <reference>bla bla bla</reference>
  </purchase_order_line_receiving>
</request>
```

purchase_order_line_id: integer – Required - Id of the purchase order line to receive stock. If the purchase order line id specified does not exist, the request will fail.

quantity: decimal – Required. Must be different than 0

warehouse_id: integer – Id of the warehouse where stock is received. If the warehouse id is not specified, stock will be received into the warehouse specified in the purchase order.

reference: string(50) – Transaction reference (ex. : Receiving number)

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <purchase_order_line_id>2478</purchase_order_line_id>
  <part_inventory_tx_id>23833</part_inventory_tx_id>
</response>
```

purchase_order_line_id: Id of the updated purchase order line.

part_inventory_tx_id: Id of the inventory transaction.

supplier_list (Get entire list of suppliers in a summary format)

Once the list of suppliers retrieved, you can use the **supplier_get** request type to retrieve the complete record for a specific supplier using the **supplier_id** retrieved.

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <supplier_list>
  </supplier_list>
</request>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <supplier>
    <supplier_id>439</supplier_id>
    <code><![CDATA[RD-001]]></code>
    <name><![CDATA[RD Supplies Inc.]]></name>
    <status>active</status>
    <nbr_purchase_orders>3</nbr_purchase_orders>
  </supplier>
  <supplier>
    <supplier_id>440</supplier_id>
    <code><![CDATA[TODO-001]]></code>
    <name><![CDATA[Todo Ltd]]></name>
    <status>active</status>
    <nbr_purchase_orders>0</nbr_purchase_orders>
  </supplier>
</response>
```

supplier_get (Get a supplier record)**XML request example:**

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <supplier_get>
    <supplier_id>439</supplier_id>
  </supplier_get>
</request>
```

customer_id: integer – Required - Id of the customer to retrieve. If the customer id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <supplier>
    <supplier_id>439</supplier_id>
    <code><![CDATA[RD-001]]></code>
    <name><![CDATA[RD Supplies Inc.]]></name>
    <address><![CDATA[176 Unknown Street
Montreal QC H1V 1B3
Canada]]></address>
    <contact><![CDATA[John Doe]]></contact>
    <phone><![CDATA[514-868-3000]]></phone>
    <mobile><![CDATA[514-868-0000]]></mobile>
    <fax><![CDATA[514-000-3000]]></fax>
```

```

<email><![CDATA[john.doe@rd-supplies-inc.ca]]></email>
<status>active</status>
<category_id>103</category_id>
<category_description><![CDATA[Tools and other]]></category_description>
<term_of_payment><![CDATA[NET 30 DAYS]]></term_of_payment>
<our_customer_number><![CDATA[23457]]></our_customer_number>
<internal_notes><![CDATA[Good supplier]]></internal_notes>
<special_instructions><![CDATA[Call before
stop by their warehouse
since there is a part-time employee]]></special_instructions>
<nbr_purchase_orders>3</nbr_purchase_orders>
<udf822 description="Website"><![CDATA[www.rd-supplies-inc.ca]]></udf822>
</supplier>
</response>

```

supplier_add (Add a new supplier)

XML request example:

```

<request app="newwayservice" version="5" password="abcdef-123456">
<supplier_add>
  <code>XYZ-001</code>
  <name>XYZ Industries Inc.</name>
  <address><![CDATA[330 St-Vallier East
Suite 110
Quebec QC G1K 9C5]]></address>
  <special_instructions><![CDATA[Call before going
there.]]></special_instructions>
  <internal_notes><![CDATA[Bla bla bla]]></internal_notes>
  <status>active</status>
  <category_description>Tools and other</category_description>
  <udf822><![CDATA[www.xyz-industries-global.com]]></udf822>
  <contact>Alex Martin</contact>
  <phone>418-524-5066</phone>
  <mobile>418-524-0000</mobile>
  <fax>418-524-1063</fax>
  <email>alex.martin@xyz-industries-global.com</email>
  <term_of_payment>NET 30 DAYS</term_of_payment>
  <our_customer_number>BA-4523</our_customer_number>
</supplier_add>
</request>

```

code: string(30) – If specified, must be unique else the request will fail.

name: string(50) – Required – Supplier name. If the supplier name already exists, the request will fail.

contact: string (50) – Required - Name of the contact.

address: text

phone: string (25)

mobile: string (25)

fax: string (25)

email: string (60) - If you provide an e-mail address, the e-mail address must be in a valid e-mail format.

special_instructions: text

internal_notes: text

status: If specified, you must specify **active** or **inactive**. Default is active.

category_id: integer – If not specified, the default category will be used.

category_description: string (35) – It allows you to specify the category using the category description instead of its id. The API will retrieve the category_id for you. If category_id is specified this field will be ignored.

term_of_payment: string (30) – Term of payment.

our_customer_number: string (30) – Our customer number.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <supplier_id>441</supplier_id>
</response>
```

supplier_id: Id of the new created supplier.

supplier_edit (Edit an existing supplier)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
<supplier_edit>
  <supplier_id>441</supplier_id>
  <address><![CDATA[330 St-Vallier East
Suite 110-B
Quebec QC G1K 9C5]]></address>
  <udf822><![CDATA[www.xyz-industries-global.net]]></udf822>
  <phone>418-524-5066 Ext: 444</phone>
</supplier_edit>
</request>
```

supplier_id: integer – Required - Id of the supplier to edit. If the supplier id specified does not exist, the request will fail.

See request type **supplier_add** for information about other fields. Of course, fields not specified in your XML request will not be updated and will not be erased either.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <supplier_id>441</supplier_id>
</response>
```

supplier_id: Id of the updated supplier.

supplier_delete (Delete a supplier)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <supplier_delete>
    <supplier_id>441</supplier_id>
  </supplier_delete>
</request>
```

supplier_id: integer – Required - Id of the supplier to delete. If the supplier id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <supplier_id>441</supplier_id>
</response>
```

supplier_id: Id of the deleted supplier.

technician_list (List all technicians in a summary format)**XML request example:**

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <technician_list>
  </technician_list>
</request>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <technician>
    <technician_id>1</technician_id>
    <name><![CDATA[John Doe Sr.]></name>
    <email><![CDATA[jdsr@orologic.com]]></email>
    <status>active</status>
    <is_dispatcher>yes</is_dispatcher>
    <is_administrative_staff>no</is_administrative_staff>
    <is_technician>no</is_technician>
  </technician>
  <technician>
    <technician_id>11</technician_id>
    <name><![CDATA[John Doe Jr.]]></name>
    <email><![CDATA[jdjr@orologic.com]]></email>
    <status>active</status>
    <is_dispatcher>no</is_dispatcher>
    <is_administrative_staff>no</is_administrative_staff>
    <is_technician>yes</is_technician>
  </technician>
  <technician>
    <technician_id>131</technician_id>
    <name><![CDATA[Alfred Wilson]]></name>
```

```
<email><![CDATA[alfred@orologic.com]]></email>
<status>inactive</status>
<is_dispatcher>no</is_dispatcher>
<is_administrative_staff>yes</is_administrative_staff>
<is_technician>no</is_technician>
</technician>
</response>
```

warehouse_list (List all warehouses)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <warehouse_list>
  </warehouse_list>
</request>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <warehouse>
    <warehouse_id>0</warehouse_id>
    <description><![CDATA[Montreal warehouse]]></description>
  </warehouse>
  <warehouse>
    <warehouse_id>1</warehouse_id>
    <description><![CDATA[Vancouver warehouse]]></description>
  </warehouse>
</response>
```

workorder_label_list (List all work order labels)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_label_list>
  </workorder_label_list>
</request>
```

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_label>
    <workorder_label_id>101</workorder_label_id>
    <description><![CDATA[To do ASAP]]></description>
  </workorder_label>
  <workorder_label>
    <workorder_label_id>107</workorder_label_id>
```

```
<description><![CDATA[Wait authorization]]></description>
</workorder_label>
</response>
```

workorder_list (List all work orders in summary format)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_list>
    <date_from>2013-05-01</date_from>
    <date_to>2013-05-30</date_to>
  </workorder_list>
</request>
```

Optional filters

date_from: If specified, must be a valid Date format and date_to must be specified as well (see notes about formats at the beginning of this document).

date_to: If specified, must be a valid Date format and date_from must be specified as well (see notes about formats at the beginning of this document).

customer_id: integer - If customer id provided doesn't exist, request will return nothing

status: 1 to 10 - If status value provided doesn't exist, request will return nothing

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder>
    <workorder_id>121</workorder_id>
    <number>118</number>
    <date>2012-02-22 14:29:04</date>
    <status>1</status>
    <priority>3</priority>
    <customer_name><![CDATA[ABC Inc.]]></customer_name>
  </workorder>
  <workorder>
    <workorder_id>129</workorder_id>
    <number>126</number>
    <date>2012-02-27 15:12:15</date>
    <status>7</status>
    <priority>1</priority>
    <customer_name><![CDATA[OroLogic Inc.]]></customer_name>
  </workorder>
  <workorder>
    <workorder_id>130</workorder_id>
    <number>127</number>
    <date>2012-02-27 15:37:35</date>
    <status>4</status>
    <priority>4</priority>
    <customer_bill><![CDATA[OroLogic Inc.]]></customer_bill>
  </workorder>
</response>
```


workorder_get

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_get>
    <workorder_id>121</workorder_id>
  </workorder_get>
</request>
```

workorder_id: integer – Required - Id of the work order to retrieve. If the id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder>
    <workorder_id>121</workorder_id>
    <number>118</number>
    <customer_id>124</customer_id>
    <customer_name><![CDATA[OroLogic Inc.]]></customer_name>
    <contact_name><![CDATA[John Doe]]></contact_name>
    <customer_address><![CDATA[330 St-Vallier Est
Suite 110-B
Québec QC G1K 9C5
Canada]]></customer_address>
    <customer_phone><![CDATA[(418) 524-5066]]></customer_phone>
    <customer_mobile><![CDATA[]]></customer_mobile>
    <customer_fax><![CDATA[(418) 524-1063]]></customer_fax>
    <customer_email><![CDATA[info@orologic.com]]></customer_email>
    <customer_bill_id>103</customer_bill_id>
    <customer_bill_name><![CDATA[OroLogic Inc.]]></customer_bill_name>
    <contact_bill_name><![CDATA[John Doe]]></contact_bill_name>
    <customer_bill_address><![CDATA[330 St-Vallier Est
Suite 110-B
Québec QC G1K 9C5
Canada]]></customer_bill_address>
    <customer_bill_phone><![CDATA[(418) 524-5066]]></customer_bill_phone>
    <customer_bill_mobile><![CDATA[]]></customer_bill_mobile>
    <customer_bill_fax><![CDATA[(418) 524-1063]]></customer_bill_fax>
    <customer_bill_email><![CDATA[info@orologic.com]]></customer_bill_email>
    <bill_to_different_customer>no</bill_to_different_customer>
    <status>3</status>
    ...
  </workorder>
</response>
```

The full output wasn't included, but you will get all data related to this work order, such as: equipments, appointments, performed work, etc.

workorder_add

XML request example:

```

<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_add>
    <customer_id>2323</customer_id>
    <customer_name>John Doe Excavations</customer_name>
    <contact_name>John Doe Jr.</contact_name>
    <customer_address><![CDATA[123, main street
Detroit MI 48243]]></customer_address>
    <customer_phone>(555) 555-5555</customer_phone>
    <customer_mobile>(555) 555-6666</customer_mobile>
    <customer_fax>(555) 555-7777</customer_fax>
    <customer_email>jdoe@jdoexcavations.com</customer_email>
    <customer_id_bill>1233</customer_id_bill>
    <customer_name_bill>John Doe Corporation</customer_name_bill>
    <contact_name_bill>John Doe Sr.</contact_name_bill>
    <customer_address_bill>45673 Fifth Avenue
New York NY 10118</customer_address_bill>
    <customer_phone_bill>(555) 555-5454</customer_phone_bill>
    <customer_mobile_bill>(555) 555-5252</customer_mobile_bill>
    <customer_fax_bill>(555) 555-5343</customer_fax_bill>
    <customer_email_bill>jdoe@jdoecorp.com</customer_email_bill>
    <bill_to_different_customer>1</bill_to_different_customer>
    <status>1</status>
    <description>Polish the molds for the excavating tools.</description>
    <priority>4</priority>
    <date_firstapp>2013-08-28 13:30:00</date_firstapp>
    <technician_id_firstapp>12</technician_id_firstapp>
    <expected_duration_firstapp>180</expected_duration_firstapp>
    <equipment_type_id>17</equipment_type_id>
    <technician_id>18</technician_id>
    <internal_reference>SPECIAL-ON-MOLD-POLISH</internal_reference>
    <customer_reference></customer_reference>
    <entered_by>Mr. Jamieson</entered_by>
    <special_instructions></special_instructions>
    <internal_notes></internal_notes>
    <tax1_percent_parts>5.25</tax1_percent_parts>
    <tax2_percent_parts>0.00</tax2_percent_parts>
    <tax2_calc_type_parts>1</tax2_calc_type_parts>
    <tax1_percent_labor></tax1_percent_labor>
    <tax2_percent_labor></tax2_percent_labor>
    <tax2_calc_type_labor></tax2_calc_type_labor>
    <fees_parts></fees_parts>
    <fees_labor></fees_labor>
  </workorder_add>
</request>

```

customer_id: integer - Required, if no valid customer id is specified the request will fail.

customer_id_bill: integer – Optional. Must be valid or request will fail

customer_name: string(50) – Required

customer_name_bill: string(50) – Required if customer_id_bill is specified.

technician_id: integer – Required, must be a valid technician_id.

technician_id_firstapp: integer – Optional. Must be a valid technician_id. If specified, you must specify date_firstapp as well. If not specified, no appointment will be created.

date_firstapp: datetime – Optional, DateTime format. (see notes about formats at the beginning of this document). If specified, you must specify technician_id_firstapp as well. If not specified, no appointment will be created.

expected_duration_firstapp: integer – Number of minutes of the first appointment. If not specified, will be set to 60 minutes (works conjointly with technician_id_firstapp and date_firstapp).

equipment_type_id: integer – Optional. If specified, must be a valid equipment_type_id. If equipment_id is specified, equipment_type_id will be ignored since the equipment_type_id will be retrieved from the equipment_id file.

equipment_id: integer – Optional. If specified, must be a valid equipment_id.

Other field below are optional.

contact_name, contact_name_bill: string(50)

customer_address, customer_address_bill: text

customer_phone, customer_phone_bill: string(25)

customer_mobile, customer_mobile_bill: string(25)

customer_fax, customer_fax_bill: string(25)

customer_email, customer_email_bill: string(60)

status: integer (1 to 20) - See Appendix.

priority: integer (1 to 10) – See Appendix.

internal_reference, customer_reference: string(30)

entered_by: string(35)

special_instructions: text

internal_notes: text

tax1_percent_parts, tax2_percent_parts: decimal

tax1_percent_labor, tax2_percent_labor: decimal

tax2_calc_type_parts, tax2_calc_type_labor: integer 0 or 1 (1=include tax1 amount in tax2 calculation. 0=do not include tax1 amount in tax2 calculation)

fees_parts, fees_labor: decimal

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_id>20943</workorder_id>
  <number>24035</number>
  <workorder_appointment_id>2237</workorder_appointment_id>
  <workorder_equipment_id>3461</workorder_equipment_id>
</response>
```

workorder_id: Id of the newly created work order.

number: Number of the newly created work order.

workorder_appointment_id: Optional. Id of the first appointment for this newly created work order.

workorder_equipment_id: Id of the master equipment for this newly created workder

workorder_edit

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_edit>
    <workorder_id>20943</workorder_id>
```

```
<special_instructions>Wear non-flammable clothing when working on this
equipment.</special_instructions>
  <internal_notes>Also make sure to be near a hospital.</internal_notes>
</workorder_edit>
</request>
```

workorder_id: integer – Required, must be a valid work order id or the request will fail.

See `workorder_add` for details on all the fields you can use. Note that unlike `workorder_add`, you cannot update the first appointment nor the master equipment using `workorder_edit`. Use other request types instead.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_id>20943</workorder_id>
</response>
```

workorder_id : Id of the successfully edited workorder.

workorder_equipment_add

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_equipment_add>
    <workorder_id>6585</workorder_id>
    <equipment_type_id>345</equipment_type_id>
    <under_warranty>yes</under_warranty>
    <under_service_contract>no</under_service_contract>
    <contract_reference></contract_reference>
    <equipment_id>456</equipment_id>
  </workorder_equipment_add>
</request>
```

workorder_id: integer – Required, if no valid `workorder_id` is specified the request will fail.

equipment_type_id: integer – Required but if `equipment_id` is specified, it will be ignored.

equipment_id: integer – If specified, must be valid

under_warranty: yes/no - Default is no.

under_service_contract: yes/no – Default is no

contract_reference: string(25)

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_equipment_id>45345</workorder_equipment_id>
</response>
```

workorder_equipment_id: Id of the newly created work order equipment.

workorder_equipment_edit

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_equipment_edit>
    <workorder_equipment_id>8637</workorder_equipment_id>
    <under_service_contract>yes</under_service_contract>
    <contract_reference>GDFSS23234</contract_reference>
  </workorder_equipment_edit>
</request>
```

workorder_equipment_id: integer – Required - Id of the work order equipment to edit. If the id specified does not exist, the request will fail.

See request type **workorder_equipment_add** for information about other fields.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_equipment_id>8637</workorder_equipment_id>
</response>
```

workorder_equipment_id: Id of the successfully updated work order equipment.

workorder_equipment_delete

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_equipment_delete>
    <workorder_equipment_id>2923</workorder_equipment_id>
  </workorder_equipment_delete>
</request>
```

workorder_equipment_id: integer – Required - Id of the work order equipment to delete. If the id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_equipment_id>2223</workorder_equipment_id>
</response>
```

workorder_appointment_add

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_appointment_add>
    <workorder_id>234</workorder_id>
    <technician_id>6</technician_id>
    <datetime>2013-12-12 16:30:00</datetime>
    <expected_duration>240</expected_duration>
  </workorder_appointment_add>
</request>
```

workorder_id: integer – Required - Id of the work order to edit. If the id specified does not exist, the request will fail.

technician_id: integer – Required – Technician id

datetime: Required in DateTime format (see notes about formats at the beginning of this document)

expected_duration: integer – Number of minutes. If not specified will default to 60 (1 hour)

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_appointment_id>12093</workorder_appointment_id>
</response>
```

workorder_appointment_edit**XML request example:**

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_appointment_edit>
    <workorder_appointment_id>243526</workorder_appointment_id>
    <expected_duration>60</expected_duration>
  </workorder_appointment_edit>
</request>
```

workorder_appointment_id: integer – Required - Id of the work order appointment to edit. If the id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_appointment_id>243526</workorder_appointment_id>
</response>
```

workorder_appointment_delete**XML request example:**

```
<request app="newwayservice" version="5" password="abcdef-123456">
```

```
<workorder_appointment_delete>
  <workorder_appointment_id>223244</workorder_appointment_id>
</workorder_appointment_delete>
</request>
```

workorder_appointment_id: integer – Required - Id of the work order appointment to delete. If the id specified does not exist, the request will fail.

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_appointment_id>223244</workorder_appointment_id>
</response>
```

workorder_performed_work_add (Add work performed, including parts and labor)

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_performed_work_add>
    <workorder_equipment_id>1234</workorder_equipment_id>
    <technician_id>5</technician_id>
    <datetime>2013-05-22 10:00:00</datetime>
    <duration>120</duration>
    <description>Replace engine.</description>
    <part>
      <part_id>3565</part_id>
      <price>2000.00</price>
      <quantity>1</quantity>
    </part>
    <labor>
      <rate_id>5656</rate_id>
      <rate>68.00</rate>
      <duration>120</duration>
    </labor>
    <labor>
      <rate_id>5656</rate_id>
      <rate>68.00</rate>
      <duration>120</duration>
      <bank_of_hour_id>67</bank_of_hour_id>
    </labor>
  </workorder_performed_work_add>
</request>
```

workorder_equipment_id: integer – Required - Id of the work order equipment you want to add work performed to. If the id specified does not exist, the request will fail.

technician_id: integer – required – Technician id

datetime: Required in DateTime format (see notes about formats at the beginning of this document)

duration: integer - Number of minutes

description: text

Parts section (Part sections are optional. You can add as much part section as needed)

part_id : integer – Required – Valid part Id.

Price: Decimal – Default 0.

quantity: Decimal – Required - Must be different from 0.

Labor section (Labor sections are optional. You can add as much labor section as needed)

rate_id : integer - Required, must be a valid rate_id

rate: Decimal – Default 0.

duration: Integer – Number of minutes. Default 0.

bank_of_hour_id: integer – If specified, must be valid and must belong to the work order's customer

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_performed_work_id>2386</work_order_performed_work_id>
  <workorder_performed_work_part_id>8768</workorder_performed_work_part_id>
  <workorder_performed_work_labor_id>9065</workorder_performed_work_labor_id>
  <workorder_performed_work_labor_id>9066</workorder_performed_work_labor_id>
</response>
```

workorder_performed_work_delete

XML request example:

```
<request app="newwayservice" version="5" password="abcdef-123456">
  <workorder_performed_work_delete>
    <workorder_performed_work_id>22442</workorder_performed_work_id>
  </workorder_performed_work_delete>
</request>
```

workorder_performed_work_id: integer – required - Id of the workorder performed work to delete

Response successful example:

```
<response app="newwayservice" version="5" status="1">
  <workorder_performed_work_id>22442</workorder_performed_work_id>
</response>
```


Appendix A. List of error codes

- 1001 Unable to connect to database.
 - 1002 Error retrieving data from database.
 - 1003 Error saving data to database.

 - 1101 Record does not exist.
 - 1102 Record duplicate error. A record with the supplied value already exists.
 - 1103 The API request you made returned too many results. Please use filters to narrow it down.
 - 1104 You cannot delete this item.
 - 1105 This operation is not allowed.

 - 1201 Field cannot be empty. Field value required.
 - 1202 No field to edit specified.
 - 1203 Invalid e-mail. If you provide an e-mail address, the e-mail address must be in a valid format.
 - 1204 Quantity cannot be 0.
 - 1205 Duration cannot be 0.

 - 1301 The customer cannot become a branch because there are other customers that are already a branch of this customer.
 - 1302 You cannot add a branch under a customer that is already a branch of another customer.

 - 1401 This part inventory transaction is not valid.
 - 1402 This part inventory transaction is not allowed.

 - 1501 The master equipment cannot be deleted.
 - 1502 A master equipment already exists for this work order.
 - 1503 You cannot remove this equipment since it has performed work attached. Delete performed work first.

 - 1601 This is the last appointment for this work order, so you cannot delete it.

 - 1701 The workorder status you provided is invalid. Accepted values are 1 to 10.
 - 1702 The workorder priority you provided is invalid. Accepted values are 1 to 4.
 - 1703 This bank of hours does not belong to the workorder's customer.

 - 1801 The technician id specified must have the role of technician.

 - 2001 Invalid XML document received.
 - 2002 Invalid attribute value in element.

 - 2101 Maximum one request is allowed in the XML document.
 - 2102 No request was found in the XML document.
 - 2104 Invalid request type found in the XML document.

 - 3001 Invalid API password.
 - 3002 Either your account is disabled or the API option is disabled on your account.
 - 3003 The application is currently in maintenance mode. Please try again later.

 - 4001 This date or datetime is not in a valid format.
 - 4002 A numeric value was expected but another format was given.
 - 4003 Invalid value provided or value out of bounds.
-

Appendix B. Description of Ids

Work order statuses

These status descriptions are defined by yourself in the Application configuration menu of NewWaySERVICE. Here is a sample setup for these labels.

Description	Example	Id
Status #1	Opened	1
Status #2	Completed	2
Status #3	Suspended	3
Status #4	Ready for Invoicing	4
Status #5	Invoiced	5
Status #6	Cancelled	6
Status #7	Status 7	7
Status #8	Status 8	8
Status #9	Status 9	9
Status #10	Status 10	10
Status #11	Status 11	11
Status #12	Status 12	12
Status #13	Status 13	13
Status #14	Status 14	14
Status #15	Status 15	15
Status #16	Status 16	16
Status #17	Status 17	17
Status #18	Status 18	18
Status #19	Status 19	19
Status #20	Status 20	20

Work order priorities

These priority descriptions are also defined in the Application configuration menu of NewWaySERVICE. Here is a sample setup for these labels.

Description	Example	Id
Priority #1	Normal	1
Priority #2	Low	2
Priority #3	High	3
Priority #4	Urgent	4
Priority #5	Priority 5	5
Priority #6	Priority 6	6
Priority #7	Priority 7	7
Priority #8	Priority 8	8
Priority #9	Priority 9	9
Priority #10	Priority 10	10

Inventory part transaction types

Description	Id
Manual Other	0
Work order	1
Manual Purchase/Receiving/RMA	2
Warehouse transfer	3
Purchase order receiving	4

Copyright

NewWaySERVICE

Copyright© 1996-2019 OroLogic Inc., All rights reserved.

Warning: This software and its documentation are protected by copyright law and international treaties. Unauthorized reproduction or distribution of this program, or any portion of it, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under the law.

NewWaySERVICE and OROLOGIC are trademarks of OroLogic Inc., 979 Avenue de Bourgogne, Suite 330, Quebec QC G1W 2L4, Canada. The names of other products, services and societies mentioned are trademarks of their respective owners. The societies, names used in the examples are fictive. Association with any society, name, product or events existing is not desired and is not an insinuation.